

REPORT DOCUMENTATION PAGEForm Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)**2. REPORT TYPE**

Technical Paper

3. DATES COVERED (From - To)**4. TITLE AND SUBTITLE****5a. CONTRACT NUMBER**

F04611-00-C-0036

5b. GRANT NUMBER**5c. PROGRAM ELEMENT NUMBER****6. AUTHOR(S)****5d. PROJECT NUMBER**

3005

5e. TASK NUMBER

00TR

5f. WORK UNIT NUMBER

549936

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)**8. PERFORMING ORGANIZATION
REPORT****9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)**Air Force Research Laboratory (AFMC)
AFRL/PRS
5 Pollux Drive
Edwards AFB CA 93524-7048**10. SPONSOR/MONITOR'S
ACRONYM(S)****11. SPONSOR/MONITOR'S
NUMBER(S)****12. DISTRIBUTION / AVAILABILITY STATEMENT**

Approved for public release; distribution unlimited.

13. SUPPLEMENTARY NOTES**14. ABSTRACT**

20030128 083

15. SUBJECT TERMS**16. SECURITY CLASSIFICATION OF:****17. LIMITATION
OF ABSTRACT****18. NUMBER
OF PAGES****19a. NAME OF RESPONSIBLE
PERSON**
Leilani Richardson**a. REPORT****b. ABSTRACT****c. THIS PAGE**

Unclassified

Unclassified

Unclassified

A

19b. TELEPHONE NUMBER
(include area code)
(661) 275-5015Standard Form 298 (Rev. 8-98)
Prescribed by ANSI Std. Z39.18

00 C 0036

11

MEMORANDUM FOR PRS (In-House/Contractor Publication)

300500TR

FROM: PROI (STINFO)

14 May 2002

SUBJECT: Authorization for Release of Technical Information, Control Number: **AFRL-PR-ED-AB-2002-112**
David White (W.E.) *et al.*, "MicroPPT Development for Small Spacecraft Propulsion"

28th International Electric Propulsion Conference
(Toulouse, France, 17-21 March 2003) (Deadline: 14 June 2002)

(Statement A)

MicroPPT Development for Small Spacecraft Propulsion

Stewart S. Bushman, David White, John H. Schilling
W.E. Research
4360 San Juan Court
Rosamond, CA, 93560
stoobush@stoobush.com

Gregory G. Spanjers, Daron R. Bromaghim, Erik L. Antonsen,
Capt. James Lake, Michael Dulligan
AFRL Propulsion Directorate, Edwards AFB, CA 93524

ABSTRACT

A class of miniaturized pulsed plasma thrusters (PPT), known as MicroPPTs,^{1,2} is currently in development at the Air Force Research Laboratory. Operating by means of a surface discharge across a Teflon™ propellant fuel bar only a few millimeters in diameter, the MicroPPT delivers a thrust-to-power ratio of 5–10 $\mu\text{N-s/J}$. In the near term, these thrusters can provide propulsive attitude control on 150-kg-class spacecraft using 1/5th the dry mass of conventional torque rods and reaction wheels. Eventually these thrusters are designed for primary and attitude control propulsion on future 25-kg class spacecraft. Efforts to characterize MicroPPT performance and the thruster plume are underway. To this end, a modified torsional thrust stand has been developed for the purpose of accurately measuring the low-level thrust generated by the MicroPPT. A Herriott Cell interferometer is introduced to establish the plume electron and neutral densities. Comparison of the measured electron density with modeling predictions shows close agreement. Additionally, a Pockels cell has been developed to provide a zero-impedance MicroPPT breakdown voltage measurement, and an intensified CCD array has been used to characterize the divergence of both the thruster plume and the late-time particulate emission. A synopsis is also presented of the status of the thruster development, including lifetime, thermal, and environmental testing.

¹ Spanjers, Gregory G., "Micro Pulsed Plasma Thruster having Coaxial Cable Segment Propellant Modules," Patent Number US 6,269,629 awarded Aug 7, 2001.

² Spanjers, Gregory G., "Self-Triggering Micro Pulsed Plasma Thruster," Provisional US Patent 09/518,164, March 6, 2000.